

THINK | BIG

Behavior Profile References: Care for Newborn Illness

1. Adam T, Lim SS, Mehta S, et al. Achieving the millennium development goals for health cost effectiveness analysis of strategies for maternal and neonatal health in developing countries. *BMJ: British Medical Journal*. 2005(7525):1107.
2. Ahmed S, Sobhan F, Islam A, Barkat-e-Khuda n. Neonatal morbidity and care-seeking behaviour in rural bangladesh. *J Trop Pediatr*. 2001;47(2):98-105. Accessed August 29, 2016.
3. Atuoye KN, Dixon J, Rishworth A, Galaa SZ, Boamah SA, Luginaah I. Can she make it? transportation barriers to accessing maternal and child health care services in rural ghana. *BMC Health Serv Res*. 2015;15.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4545969/>. Accessed August 26, 2016. doi: 10.1186/s12913-015-1005-y.
4. Bazzano AN, Kirkwood BR, Tawiah-Agyemang C, Owusu-Agyei S, Adongo PB. Beyond symptom recognition: Care-seeking for ill newborns in rural ghana. *Tropical Medicine & International Health*. 2008;13(1):123-128.
5. Bedford KJA, Sharkey AB. Local barriers and solutions to improve care-seeking for childhood pneumonia, diarrhoea and malaria in kenya, nigeria and niger: A qualitative study. *PloS one*. 2014;9(6):e100038. <http://www.ncbi.nlm.nih.gov/pubmed/24971642>. doi: 10.1371/journal.pone.0100038.
6. Brown MT, Bussell JK. Medication adherence: WHO cares? *Mayo Clinic Proceedings*. 2011;86(4):304-314.
<http://www.sciencedirect.com/science/article/pii/S0025619611600074>. doi: 10.4065/mcp.2010.0575.
7. Care of the newborn in developing countries book 2 chapter 1 problems of the newborn. In: Bassat Q, Simkiss D, Edmond K, Bose A, Troy S, eds. *Journal of Tropical Pediatrics*.
8. Chappell F. Medication adherence in children remains a challenge. *Prescriber*. 2015;26(12):31-34. <http://onlinelibrary.wiley.com/doi/10.1002/psb.1371/abstract>. Accessed August 29, 2016. doi: 10.1002/psb.1371.
9. Colbourn T, Nambiar B, Bondo A, et al. Effects of quality improvement in health facilities and community mobilization through women's groups on maternal, neonatal and perinatal mortality in three districts of malawi: MaiKhanda, a cluster randomized controlled effectiveness trial. *Int Health*. 2013;5(3):180-195.
<http://inthehealth.oxfordjournals.org/content/5/3/180>. Accessed August 29, 2016. doi: 10.1093/inthehealth/iht011.

10. Colvin CJ, Smith HJ, Swartz A, et al. Understanding careseeking for child illness in sub-saharan africa: A systematic review and conceptual framework based on qualitative research of household recognition and response to child diarrhoea, pneumonia and malaria. *Soc Sci Med*. 2013;86:66-78.
11. Dongre AR, Deshmukh PR, Garg BS. Perceptions and health care seeking about newborn danger signs among mothers in rural wardha. *Indian J Pediatr*. 2008;75(4):325-329.
12. Fujino Y, Sasaki S, Igarashi K, et al. Improvement in mothers' immediate care-seeking behaviors for children's danger signs through a community-based intervention in lusaka, zambia. *The Tohoku Journal of Experimental Medicine*. 2009;217(1):73-85.
<http://jlc.jst.go.jp/JST.JSTAGE/tjem/217.73?from=SUMMON>. doi: 10.1620/tjem.217.73.
13. Lee AC, Lawn JE, Cousens S, et al. Linking families and facilities for care at birth: What works to avert intrapartum-related deaths? *International Journal of Gynecology and Obstetrics*. 2009;107(Suppl 1):S88.
<http://www.sciencedirect.com/science/article/pii/S0020729209003610>. doi: 10.1016/j.ijgo.2009.07.012.
14. Magoma M, Requejo J, Campbell O, Cousens S, Merialdi M, Filippi V. The effectiveness of birth plans in increasing use of skilled care at delivery and postnatal care in rural tanzania: A cluster randomised trial. *Tropical Medicine & International Health*. 2013;18(4):435-443. <http://onlinelibrary.wiley.com/doi/10.1111/tmi.12069/abstract>. doi: 10.1111/tmi.12069.
15. Matsui D. Current issues in pediatric medication adherence. *Pediatric Drugs*. 2007;9(5):283-288.
16. Memon ZA, Khan GN, Soofi SB, Baig IY, Bhutta ZA. Impact of a community-based perinatal and newborn preventive care package on perinatal and neonatal mortality in a remote mountainous district in northern pakistan. *BMC Pregnancy Childbirth*. 2015;15.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4446857/>. Accessed August 29, 2016. doi: 10.1186/s12884-015-0538-8.
17. Mullany BC, Becker S, Hindin MJ. The impact of including husbands in antenatal health education services on maternal health practices in urban nepal: Results from a randomized controlled trial. *Health Educ Res*. 2007;22(2):166-176. Accessed August 29, 2016. doi: 10.1093/her/cyl060.
18. Newbrander W, Natiq K, Shahim S, Hamid N, Skena NB. Barriers to appropriate care for mothers and infants during the perinatal period in rural afghanistan: A qualitative assessment. *Global public health*. 2014;9 Suppl 1(sup1):S109.
<http://www.ncbi.nlm.nih.gov/pubmed/24003851>. doi: 10.1080/17441692.2013.827735.
19. Premji S, Khowaja S, Meherali S, Forgeron R. Sociocultural influences on newborn health in the first 6 weeks of life: Qualitative study in a fishing village in karachi,

- pakistan. *BMC pregnancy and childbirth*. 2014;14(1):232.
<http://www.ncbi.nlm.nih.gov/pubmed/25030836>. doi: 10.1186/1471-2393-14-232.
20. Sakisaka K, Jimba M, Hanada K. Changing poor mothers' care-seeking behaviors in response to childhood illness: Findings from a cross-sectional study in granada, nicaragua. *BMC international health and human rights*. 2010;10(1):10.
<http://www.ncbi.nlm.nih.gov/pubmed/20515485>. doi: 10.1186/1472-698X-10-10.
21. Sarabi RE, Sadoughi F, Orak RJ, Bahaadinbeigy K. The effectiveness of mobile phone text messaging in improving medication adherence for patients with chronic diseases: A systematic review. *Iranian Red Crescent medical journal*. 2016;18(5):e25183.
<http://www.ncbi.nlm.nih.gov/pubmed/27437126>. doi: 10.5812/ircmj.25183.
22. Taffa N, Chepngeno G. Determinants of health care seeking for childhood illnesses in nairobi slums. *Tropical medicine & international health : TM & IH*. 2005;10(3):240-245.
<http://www.ncbi.nlm.nih.gov/pubmed/15730508>. doi: 10.1111/j.1365-3156.2004.01381.x.
23. Upadhyay RP, Singh B, Rai SK, Anand K. Role of cultural beliefs in influencing selected newborn care practices in rural haryana. *J Trop Pediatr*. 2012;58(5):406-408. Accessed August 29, 2016. doi: 10.1093/tropej/fmr113.
24. WHO, UNICEF. Home visits for the newborn child: A strategy to improve survival. 2009.
25. WHO. Newborn death and illness. WHO Web site.
http://www.who.int/pmnch/media/press_materials/fs/fs_newborndeath_illness/en/. Accessed August 26, 2016.
26. WHO. Newborns: Reducing mortality. WHO Web site.
<http://www.who.int/mediacentre/factsheets/fs333/en/>. Accessed August 29, 2016.