

THINK | BIG

Behavior Profile References: Intermittent Preventive Treatment of Malaria in Pregnancy

1. Agarwal K, Alonso P, Chico RM, et al. Global call to action to scale-up coverage of intermittent preventive treatment of malaria in pregnancy: Seminar report. *Malaria journal*. 2015;14(1):206. <http://www.ncbi.nlm.nih.gov/pubmed/25986152>. doi: 10.1186/s12936-015-0730-3.
2. Arnold F, Cibulskis R, Newby H, et al. Household survey indicators for malaria control. *MEASURE Evaluation*. 2013:3.
3. Chico RM, Dellicour S, Roman E, et al. Global call to action: Maximize the public health impact of intermittent preventive treatment of malaria in pregnancy in sub-saharan africa. *Malaria journal*. 2015;14(1):207. <http://www.ncbi.nlm.nih.gov/pubmed/25986063>. doi: 10.1186/s12936-015-0728-x.
4. Florey L. Preventing malaria during pregnancy in sub-saharan africa: Determinants of effective IPTp delivery. *DHS Analytical Studies No. 39*. 2013.
5. Hill J, Hoyt J, van Eijk AM, et al. Factors affecting the delivery, access, and use of interventions to prevent malaria in pregnancy in sub-saharan africa: A systematic review and meta-analysis. *PLoS medicine*. 2013;10(7):e1001488. <http://www.ncbi.nlm.nih.gov/pubmed/23935459>. doi: 10.1371/journal.pmed.1001488.
6. Pell C, Straus L, Anew EVW, Meñaca A, Pool R. Social and cultural factors affecting uptake of interventions for malaria in pregnancy in africa: A systematic review of the qualitative research. *PLoS One*. 2011;6(7):e22452. <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0022452>. doi: 10.1371/journal.pone.0022452.
7. Steketee RW, Nahlen BL, Parise ME, Menendez C. The burden of malaria in pregnancy in malaria-endemic areas. *The American journal of tropical medicine and hygiene*. 2001;64(1-2 Suppl):28. <http://www.ncbi.nlm.nih.gov/pubmed/11425175>.
8. USAID. President's malaria initiative technical guidance. 2016.
9. USAID, Maternal and Child Survival Program. Investing in malaria in pregnancy in sub-saharan africa: Saving women's and children's lives.
10. van Eijk AM, Hill J, Larsen DA, et al. Coverage of intermittent preventive treatment and insecticide-treated nets for the control of malaria during pregnancy in sub-saharan africa: A synthesis and meta-analysis of national survey data, 2009-11. *The Lancet. Infectious diseases*. 2013;13(12):1029-1042. <http://www.ncbi.nlm.nih.gov/pubmed/24054085>. doi: 10.1016/S1473-3099(13)70199-3.



11. WHO. Intermittent preventive treatment in pregnancy (IPTp). <http://www.who.int> Web site. http://www.who.int/malaria/areas/preventive_therapies/pregnancy/en/. Updated 2016. Accessed Sept 6, 2016.
12. World Health Organization. Policy brief for the implementation of intermittent preventive treatment of malaria in pregnancy using sulfadoxine-pyrimethamine (IPTp-SP). 2013.